

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**



Figure 1

Title: REAL TIME MEASUREMENT OF CELLULAR RESPONSES
First Inventor: Ping JIANG
Application No. :10/643,785
Docket No.: 312762003800




Figure 2




Figure 3A




Figure 3B




Figure 4A




Figure 4B




Figure 5





Figure 6







Figure 7

Figure 8


PC-3 Dual Cells were treated by Taxol (0.8 $\mu\text{g}/\text{ml}$)



T0 (Magnification: 200x)



T24 (Magnification: 200x)




T48 (Magnification: 200x)



T96 (Magnification: 200x)

Figure 9


Visualizing taxol induced apoptotic cells in vitro in real time





Real-time apoptoses were observed under fluorescence microscopy and verified by DNA ladder analysis when PC-3-dual cells were incubated with 0.8 μ g Taxol. (A) control; (B) 12 hours after treatment; (C) 24 hours after treatment; (D) 36 hours after treatment; (E) 48 hours after treatment.

Figure 10


PC-3 Dual Cells were treated by Vinblastin (62µg/ml)



T0 (Magnification: 200x)




T48 (Magnification: 200x)




T96 (Magnification: 200x)

Figure 11

Visualizing apoptotic cancer cells in vivo



100x



200x

PC-3 Dual colored human prostate cancer cells were injected in the foot pat of nude mice. The mice were sacrificed after 20 days. Apoptotic PC-3 dual colored cell was observed in the lymph node under fluorescence microscopy